









# **BS-6000 Series Metallurgical Microscope**

## 1. BS-6000A Metallurgical Microscope







BS-6000AT(Transmitted)

#### Introduction

BS-6000A series metallurgical microscopes are designed for metallography analysis. With excellent optical system, ingenious stand and convenient operation, they will be your best choice.

#### **Feature**

- 1. Excellent infinite optical system.
- 2. High magnification objective with long working distance.
- 3. Comfortable operation with low position focus knob.
- 4. Easy, safe and reliable lamp replacement device.

### **Application**

BS-6000A series metallurgical microscopes are widely used in industrial areas for PCB board, LCD display, metal structure observation and inspection. It also can be used in colleagues for metallography education and research.

### **Specification**

Item	Specification	BS-6000A	BS-6000AT
Viewing Head	Seidentopf type binocular head, inclined at 30°, 360° rotatable, interpupillary		
	distance 48-75mm		
	Seidentopf type trinocular head, inclined at 30°, 360° rotatable, interpupillary		•
	distance 48-75mm, Light distribution: 20:80		
Eyepiece	WF10×/18mm	•	•
	WF8×/18mm	0	0
	WF10×/18mm with 0.1mm Micrometer & cross hair	0	0
	WF12.5×/15mm	0	0





WWW.WAGAGROUP.LK











Infinite Plan	4×/0.1/∞/- WD 17.3mm	•	•
	5×/0.12/∞/- WD 15.5mm	0	0
	10×/0.25/∞/- WD 10.0mm	•	•
	20×/0.40/∞/0 WD 5.8mm	0	0
Achromatic	40×/0.60/∞/0 WD 2.9mm	•	•
Objectives	40×/0.65/∞/0 WD 0.52mm	0	0
	50×/0.75/∞/0 WD 0.32mm	0	0
	80×/0.90/∞/0 WD 0.2mm	0	0
	100×/0.80/∞/0 WD 2mm	0	0
Nosepiece	Quadruple Nosepiece	•	•
Stage	Double layer mechanical stage 150×140mm, moving range 75×50mm	•	•
Focusing	Coaxial Coarse & Fine Adjustment, Fine Division 0.002mm, Coarse Stroke	•	•
	37.7mm per Rotation, Fine Stroke 0.2mm per Rotation, Range 20mm		
Illumination	Kohler Illumination, Epi-illuminator with iris aperture diaphragm and iris field	•	•
	diaphragm, 6V/20W Halogen lamp, Brightness adjustable		
	Kohler Illumination, Epi-illuminator with iris aperture diaphragm and iris field	0	0
	diaphragm, 3W LED illumination, Brightness adjustable		
	Transmitted Illumination, 6V/20W Halogen Lamp, Brightness Adjustable	0	0
Filters	Blue, Green, Yellow & Ground filters	•	•
Polarizing Set	Polarizer and Analyzer	0	0
Specimen Presser	For metallurgical specimen preparation	0	0
Photo Adapter	Used to connect DSLR camera to the microscope	0	0
Video Adapter	1×, 0.5× C-mount adapter	0	0

Note: ●Standard parts, OOptional parts

# Sample Image







