

# CAPPING MACHINE COVER TIE

## 旋盖扎盖机系列

### 性能及特点 / Performance and Features

- ◆ 电气控制运动，稳定性强；设有定位装置，旋盖标准，操作方便；锁盖范围宽，可锁不同。
- ◆ 形状规格的瓶盖；解决了喷头、泵头、喷雾泵、手扣式喷枪旋盖难的问题；锁盖转速可调。
- ◆ 可根据不同瓶盖调节松紧度。
- ◆ 用于各种日化、医药、化工行业的喷头/泵头/喷雾泵/手扣式喷枪的瓶盖锁盖机械。
- ◆ Electrical control movement, strong stability; with positioning device, screw cap standard, easy to operate; lock cover a wide range, can lock different
- ◆ Shape specifications of the cap; to solve the nozzle, pump head, spray pump, hand button spray guns difficult to solve the problem; lock cover adjustable speed,
- ◆ Can be adjusted according to different caps tightness.
- ◆ For a variety of daily chemical, pharmaceutical, chemical industry, nozzle / pump head / spray pump / hand button gun cap lid cover machinery.



YKCGJ-6120 桌上型锁盖机  
DESKTOP CAPPING MACHINE

### 技术参数 / Technical Parameters

电压	Voltage	AC220V 50Hz
功率(W)	Power	90
包装尺寸(mm)	Package Size	480*400*580
净重(kg)	Net Weight	30
使用气源(Mpa)	Use Gas Source	0.4-0.6
锁盖范围(cm)	Lock cCover Range	盖子直径2-5cm高度5-40 Cover diameter height
锁盖速度(pcs/min)	Locking Speed	30-45
扭力(kg)	Torque	4-8



DDX-450型 电动台式旋盖机  
DESKTOP ELECTRIC CAPPING MACHINE

### 技术参数 / Technical Parameters

电源	Power supply	AC220V 50/60Hz
功率(W)	Power	50
工作方式	Way of Working	手动、电动 Manual、Electric
机型	Model	台式 Desktop
材质	Material	铁、铝 Iron、Aluminum
旋盖直径(mm)	Screw Cap Diameter	10-50
生产能力(pcs/min)	Production Capacity	20-40
适用瓶高(mm)	Applicable Bottle Height	40-200
整机尺寸(mm)	Machine Size	520*300*530
净重(kg)	Net Weight	32



手持式电动旋盖机  
HANDHELD ELECTRIC  
CAPPING MACHINE



手钳封口机  
PLIERS SEALING  
MACHINE

# CAPPING MACHINE COVER TIE

## 旋盖扎盖机系列

### 性能及特点 / Performance and Features

- ◆ 适用于铝塑封口。
- ◆ 气动香水扎口机是香水灌装机的组合之一，实际运用广泛，可用于大小香水瓶口，封口直径14.5/17/20/21.5等规格。
- ◆ 本款机器采用气动系统封口系统，以压缩空气为动力源，可一次完成封口，封口合格百分百。速度以人工而定，设计最完美机型之一。
- ◆ Suitable for aluminum plastic sealing.
- ◆ Pneumatic perfume Zhankou machine is one of the combination of perfume filling machine, the actual use of a wide range, can be used for the size of perfume bottles, sealing diameter 14.5 / 17/20 / 21.5 and other specifications.
- ◆ This machine uses pneumatic system sealing system to compressed air as the power source, can be completed once the sealing, sealing qualified hundred percent. Speed to the artificial, the design of one of the most perfect models.



LTX-80 气动香水扎口机  
PNEUMATIC PERFUME ZHAKOU



LTX-50 手动扎口机  
MANUAL JAW MACHINE



手钳式西林瓶压盖机  
PLIERS TYPE VIAL CAPPING MACHINE



U型打扣机  
U-SHAPED DEDUCTION MACHINE



SK-40锁盖机  
CAPPING MACHINE

### 技术参数 / Technical Parameters


型号	Model	SK-40
电源	Power Supply	220V 50/60Hz
功率(W)	Power	370
工作方式	Way of Working	手送、电动
升降方式	Lift Mode	匀速连续升降
机型	Model	落地式
机箱材质	Chassis Material	冷轧板喷塑
锁盖直径(mm)	Cap Diameter	20-40
适用瓶高(mm)	Applicable Bottle Height	100-330
生产能力(times/min)	Production Capacity	20
整机净重(kg)	Machine Weight	65
外形尺寸(mm)	Dimensions	620x260x1000

# CAPPING MACHINE COVER TIE

## 旋盖扎盖机系列



桌面搓盖机A款  
DESKTOP RUBBING MACHINE A



桌面搓盖机B款  
DESKTOP RUBBING MACHINE B

### 技术参数 / Technical Parameters

瓶子最大直径(mm)	Maximum Diameter of Bottle	≤ 100
盖子直径(mm)	Cover Diameter	20-60
最大瓶高(mm)	Maximum Bottle Height	190
最小瓶高(mm)	Minimum Bottle Height	50
功率(W)	Power	500
电压	Voltage	110-220V
电源	Voltage	美标/非标/欧标/澳标/英标等特殊要求 American standard / non-standard / European standard / Australian standard / British standard and other special requirements
产量(times/min)	Sealing Speed	20-60(可以调整/Adjustable)
外形尺寸(mm)	Machine Size	1070x550x750
重量(kg)	Weight	75

### 性能及特点 / Performance and Features

本机广泛适用于食品，罐头，调味品，保健品等行业中三（四）旋马口铁盖玻璃瓶的真空旋盖作业，可有效的延长产品的保质期，真空旋盖已经成为现代瓶装食品生产的趋势。

This machine is widely used in food, canned goods, condiments, health products and other industries. The vacuum capping operation of three (four) rotary tinplate glass bottles can prolong the shelf life of products effectively. Vacuum capping has become the trend of modern bottled food production.

### 技术参数 / Technical Parameters

型号	Model	真空旋盖机
电源	Voltage	AC22V 50/60Hz
功率(KW)	Power	0.55
配备气源(Mpa)	Air Pressure	0.4-0.6
适用瓶盖直径(mm)	Suitable Cap Diameter	45-80(定制)
适合瓶高(mm)	Suitable Bottle Height	60-120
旋盖速度(bots/min)	Capping Speed	15-20
所需空压机	Required Air Compressor	≥1.5kw 65L
外形尺寸(mm)	Machine Size	550x480x780
重量(kg)	Weight	80




真空旋盖机  
VACUUM CAPPING MACHINE

# CAPPING MACHINE COVER TIE

## 旋盖扎盖机系列

### 性能及特点 / Performance and Features

- ◆ 电气控制运动，稳定性强；设有定位装置，旋盖标准，操作方便；锁盖范围宽，可锁不同。
  - ◆ 形状规格的瓶盖；解决了喷头、泵头、喷雾泵、手扣式喷枪旋盖难的问题；锁盖转速可调。
  - ◆ 可根据不同瓶盖调节松紧度。
  - ◆ 用于各种日化、医药、化工行业的喷头/泵头/喷雾泵/手扣式喷枪的瓶盖锁盖机械。
- ◆ This machine has high degree of automation as it integrates auto arranging, putting up and screwing cap.
  - ◆ Capping toraue can be set according to requirements.
  - ◆ With a small number of parts replacing like mould,auto capping can be suitable for different sizes of bottles.
  - ◆ There are inverted rotation and a pre-rotation function for putting up caps to ensure accurate capping and high capping pass rate.
  - ◆ The shell,frame,main structure,etc.of the machine are mainly made from 340# stainless steel so it is with beautiful appearance.
  - ◆ For this machine PLC with man-machine interface(touching screen)control was adopted, and for the main electrical and pneumatic componets we choose domestic well-known brands to ensure stable performance.



全自动搓盖机  
AUTOMATIC CAPPING  
MACHINE



全自动搓盖机+落盖机  
FULLY AUTOMATIC CAPPING MACHINE  
+ AUTO CAP FEEDER

### 技术参数 / Technical Parameters

型号	Model	全自动搓盖机	全自动搓盖机+落盖机
配备电源	Voltage	AC220V, 50/60HZ	
瓶高(mm)	Bottle Height	≤250	
瓶盖直径(mm)	Cap Diameter	20-50	
主机功率(KW)	Power	0.8	
生产速度(件/min)	Production Speed	30-60	
配备气源(MPA)	Air Pressure	0.4-0.6	
外型尺寸(mm)	Machine Size	L2000xW1400xH2000	L2500xW1400xH2000
重量(kg)	Weight	280	350