

LABELING MACHINE SERIES

贴标机系列



SY-30 手摇贴标机
HAND LABELING MACHINE




手摇贴标机
HAND LABELING MACHINE



SY-60 平面贴标机
FLATTENING MACHINE



SY-50 圆瓶贴标机
ROUND BOTTLE LABEL MACHINE



SY-50D 圆瓶打码贴标机
ROUND BOTTLE LABEL MACHINE+ FIGHT CODE MACHINE

性能及特点 / Performance and Features

- ◆ 主要适用于PET瓶、塑料瓶、玻璃瓶、金属瓶等不干胶贴标；广泛用于食品饮料、粮油、医药、日化、化工等行业，大大提高生产率和贴标质量。
- ◆ This machine use to label the PET bottle, plastic bottle, glass bottle and metal bottle. It is widely use for foodstuff, beverage, rice and oil, medicine, daily and chemical filed. This machine impeove label speed and label quality.

技术参数 / Technical Parameters

型号	Model	SY-30圆瓶	SY-50圆瓶	SY-50D圆瓶	SY-60平面
电源	Voltage	220V 50Hz/110V 60Hz			
功率(w)	Power	/	120	220	120
贴标速度(Pacs/min)	Label Speed	25-50			
贴标精度(mm)	Label Accuracy	±1	±1	±1	±1
标签卷内径(mm)	Lavel Roll Inner Diameter	≥ Φ75			
标签卷最大外径(mm)	Max Label Roll out Diameter	≤ Φ100	≤ Φ250	≤ Φ250	≤ Φ250
适用物品(mm)	Products Size	Φ20-120		10-120	
标签宽度(mm)	Wide of Label	W150xL230		W20xL300	W60xL120
配打码机	Printer	/	/	YES	/
整机尺寸(cm)	Machine Size	30x40x12	65x45x45	65x45x55	65x45x70
整机重量(kg)	Gross Weight	18	25	35	30

LABELING MACHINE SERIES

贴标机系列




A款

SY-61 平面贴标机
Flat labeling machine



B款



SY-80 新款圆瓶贴标机
NEW TYPE ROUND BOTTLE LABELING MACHINE.



SY-190 半自动圆瓶贴标机
SEMI AUTO ROUND BOTTLE LABELING MACHINE



SY-160 桌面型全自动平面贴标机
DESKTOP AUTO FLAT LABELING MACHINE



SY-150 桌面型全自动圆瓶贴标机
DESKTOP AUTO ROUND BOTTLE LABELING MACHINE

技术参数 / Technical Parameters

型号	Model	SY-61	SY-80	SY-190	SY-160	SY-150
电源	Voltage	AC220V 50Hz/110V 60Hz				
功率(w)	Power	120	150	150	240	400
贴标速度(Pacs/min)	Label Speed	25-50				
贴标精度(mm)	Label Accuracy	± 1				
标签卷内径(mm)	Lavel Roll Inner Diameter	≥ Φ75				
标签卷最大外径(mm)	Max Label Roll Out Diameter	≤ Φ250				
适用物品(mm)	Products Size	10-120	Φ40-100	Φ40-100	Φ40-100	Φ40-100
标签宽度(mm)	Wide of Label	W110xL160	W150xL180	W150xL180	W150xL180	W150xL180
配打码机	Printer	/	/	/	/	/
整机尺寸(cm)	Machine Size	65x45x70	60x30x40	76x54x38	130x80x100	130x80x80
整机重量(kg)	Gross Weight	30	38	38	130	130

LABELING MACHINE SERIES

贴标机系列



SY300 全自动平面贴标机
AUTOMATIC FLAT BOTTLE LABELING MACHINE

性能及特点 / Performance and Features

- ◆ SY-300平面贴标机全机为高级不锈钢与高档铝合金制成，贴标机头采用高速伺服电机确保贴标精度和速度；所有的光电及控制系统也都采用德国，日本及台湾进口的高端产品，PLC配合人机界面控制，操作简洁明了。
- ◆ SY-300 plane labeling machine for the whole high-grade stainless steel and high-grade aluminum alloy, labeling head using high-speed servo motor to ensure the accuracy and speed of labeling; all the optoelectronic and control systems are also used in Germany, Japan and Taiwan imported High-end products, PLC with man-machine interface control, simple operation clear.

技术参数 / Technical Parameters

机器型号	Model	SY-300
机器尺寸(mm)	Machine Size	L2000xW800xH1600
贴标速度(pcs/min)	Output Speed	60-350 (瓶子大小和标签长短具体情况而定/size and length of the label depends on the specific circumstances)
贴标物高度(mm)	Hight Label Object	30-210
贴标物宽度(mm)	Thickly Label Object	20-120
标签高度(mm)	Label Hight	15-200
标签长度(mm)	Label Length	25-300
贴标精度(mm)	Pastes the Sign Precision	± 1(被贴物与标签本身的误差除外/Except for the error of the label and the label itself)
纸卷内径直径(mm)	Rollinside	76mm
纸卷外径(mm)	Roll Outside Diameter	300
电源	Power Supply	单相220V 50/60HZ 1.5KW
机器重量(kg)	Weight	180

LABELING MACHINE SERIES

贴标机系列



SY-220-A 全自动圆瓶贴标机
AUTOMATIC ROUND BOTTLE LABELING MACHINE

性能及特点 / Performance and Features

- ◆ SY-220-A自动立式贴标机适用于玻璃瓶、塑料瓶等圆柱形物体，锥形物体可以定做，还可以根据产品需要增加打码机；本机设计简便、轻巧、美观；可以独立使用或者配流水线连体机使用；
- ◆ SY-220-A automatic vertical labeling machine for glass bottles, plastic bottles and other cylindrical objects, tapered objects can be customized, but also according to product needs to increase the printer; the machine design is simple, lightweight, beautiful; can be used independently or with the pipeline Use of conjoined;

技术参数 / Technical Parameters

机器型号	Model	SY-220-A
机器尺寸(mm)	Machine Size	L2000xW950xH1400
贴标速度(pcs/min)	Output Speed	20-200 (瓶子大小和标签长短具体情况而定/size and length of the label depends on the specific circumstances)
贴标物高度(mm)	Hight Label Object	30-210
贴标物宽度(mm)	Thickly Label Object	20-120
标签高度(mm)	Label Hight	15-150
标签长度(mm)	Label Length	25-300
贴标精度(mm)	Pastes the Sign Precision	±1(被贴物与标签本身的误差除外/Except for the error of the label and the label itself)
纸卷内径直径(mm)	Rollinside	76mm
纸卷外径(mm)	Roll Outside Diameter	350
电源	Power Supply	110/220V 50/60HZ 1.5KW
机器重量(kg)	Weight	200